Material Safety Data Sheet
Dow AgroSciences Canada Inc.

Product Name: Trophy* B Emulsifiable Concentrate Herbicide **Issue Date:** 2010.07.13

Dow AgroSciences Canada Inc. encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name
Trophy* B Emulsifiable Concentrate Herbicide

COMPANY IDENTIFICATION
Dow AgroSciences Canada Inc.
A Subsidiary of The Dow Chemical Company
Suite 2100, 450 1st Street SW,
Calgary, AB T2P 5H1
Canada

For MSDS updates and Product Information: 800-667-3852

Prepared By: Prepared for use in Canada by EH&S, Hazard Communications.
Revision 2010.07.13

Customer Information Number: 800-667-3852

EMERGENCY TELEPHONE NUMBER
24-Hour Emergency Contact: 613-996-6666
Local Emergency Contact: 613-996-6666

2. Hazards Identification

Emergency Overview
Color: Yellow to brown
Physical State: Liquid.
Odor: Gasoline-like
Hazards of product:

DANGER! Harmful or fatal if swallowed; can enter lungs and cause damage. May cause skin irritation. May cause respiratory tract irritation. Isolate area. Keep upwind of spill. Toxic fumes may be released in fire situations.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: Essentially nonirritating to eyes.
Skin Contact: Prolonged contact may cause skin irritation with local redness.
Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.
Inhalation: Mist may cause irritation of upper respiratory tract (nose and throat) and lungs.
Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.
Aspiration hazard: Aspiration into the lungs may occur during ingestion or vomiting, causing lung damage or even death due to chemical pneumonia.
Effects of Repeated Exposure: For similar active ingredient(s). 2-methyl-4-chlorophenoxyacetic acid (MCPA). In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Testes. For the solvent(s): In animals, effects have been reported on the following organs after exposure to aerosols: Central nervous system. Respiratory tract. Observations in animals include: Anesthetic or narcotic effects.
Cancer Information: In a lifetime animal dermal carcinogenicity study, an increased incidence of skin tumors was observed when kerosene was applied at doses that also produced skin irritation. This response was similar to that produced in skin by other types of chronic chemical/physical irritation. No increase in tumors was observed when non-irritating dilutions of kerosene were applied at equivalent doses, indicating that kerosene is unlikely to cause skin cancer in the absence of long-term continued skin irritation.
Birth Defects/Developmental Effects: For the active ingredient(s): Has caused birth defects in laboratory animals only at doses toxic to the mother. Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

3. Composition/information on ingredients

Component	CAS #	Amount W/W
MCPA 2-EHE: 2-Methyl-4-Chlorophenoxyacetic Acid 2-Ethylhexyl Ester	29450-45-1	84.0 %
Kerosene (petroleum)	8008-20-6	11.0 %
Balance		5.0 %

Amounts are presented as percentages by weight.

4. First-aid measures

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
Notes to Physician: May cause asthma-like (reactive airways) symptoms. Bronchodilators, expectorants, antitussives and corticosteroids may be of help. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against

toxicity when considering emptying the stomach. The decision of whether to induce vomiting or not should be made by a physician. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.
Medical Conditions Aggravated by Exposure: Repeated excessive exposure may aggravate preexisting lung disease.
Emergency Personnel Protection: First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

5. Fire Fighting Measures

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.
Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.
Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.
Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.
Hazardous Combustion Products: During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Hydrogen chloride. Carbon monoxide. Carbon dioxide.

See Section 9 for related Physical Properties

6. Accidental Release Measures

Steps to be Taken if Material is Released or Spilled: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.
Personal Precautions: Isolate area. Keep upwind of spill. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. Handling and Storage

Handling
General Handling: Keep out of reach of children. Do not swallow. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling. Keep container closed.

Storage
Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Type	Value
Kerosene (petroleum)	Dow IHG	TWA as total hydrocarbon vapor	10 mg/m3 SKIN
	CAD BC OEL	TWA Non-aerosol. as total hydrocarbon vapor	200 mg/m3 SKIN
	ACGIH	TWA Non-aerosol. as total hydrocarbon vapor	200 mg/m3 P: Application restricted to conditions in which there are negligible aerosol exposures.
	CAD ON OEL	TWAEV as total hydrocarbon vapor	200 mg/m3 SKIN
	CAD AB OEL	TWA Vapor. as total hydrocarbon vapor	200 mg/m3
	CAD AB OEL	SKIN_DES Vapor. as total hydrocarbon vapor	Can be absorbed through the skin.

Consult local authorities for recommended exposure limits.
RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.
A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material including mucous membranes and the eyes either by contact with vapors or by direct skin contact.
It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposures should be considered.

Personal Protection
Eye/Face Protection: Use safety glasses (with side shields).
Skin Protection: Wear clean, body-covering clothing.

Hand protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex").

Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face before smoking or eating.

Engineering Controls

Ventilation: Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

9. Physical and Chemical Properties

Physical State	Liquid.
Color	Yellow to brown
Odor	Gasoline-like
Odor Threshold	No test data available
Flash Point - Closed Cup	95 °C
Flammable Limits In Air	**Lower**: No test data available **Upper**: No test data available
Autoignition Temperature	No test data available
Vapor Pressure	No test data available
Boiling Point (760 mmHg)	> 150 °C.
Vapor Density (air = 1)	No test data available
Specific Gravity (H2O = 1)	1.015
Liquid Density	No test data available
Freezing Point	No test data available
Melting Point	Not applicable
Solubility in water (by weight)	No test data available
pH	6.19
Decomposition Temperature	No test data available
Partition coefficient, n-octanol/water (log Pow)	No data available for this product. See Section 12 for individual component data.
Evaporation Rate (Butyl Acetate = 1)	No test data available

10. Stability and Reactivity

Stability/Instability

Stable under recommended storage conditions. See Storage, Section 7.

Conditions to Avoid: Active ingredient decomposes at elevated temperatures. Generation of gas during decomposition can cause pressure in closed systems. Pressure build-up can be rapid.

Incompatible Materials: Avoid contact with oxidizing materials. Avoid contact with: Acids. Bases.

Hazardous Polymerization
Will not occur.

Thermal Decomposition
Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Phenolics. Toxic gases are released during decomposition.

11. Toxicological Information

Acute Toxicity
Ingestion
As product. Single dose oral LD50 has not been determined.
For the active ingredient(s): LD50, Rat 1,793 mg/kg
Dermal
As product. The dermal LD50 has not been determined.
For the active ingredient(s): LD50, Rabbit > 2,000 mg/kg
Inhalation
As product. The LC50 has not been determined.
For the active ingredient(s): LC50, 4 h, Liquid aerosol., Rat > 4.5 mg/l
Maximum attainable concentration. No deaths occurred at this concentration.

Eye damage/eye irritation
Essentially nonirritating to eyes.

Skin corrosion/irritation
Prolonged contact may cause skin irritation with local redness.

Sensitization
Skin
For the active ingredient(s): Did not cause allergic skin reactions when tested in guinea pigs.
Respiratory
No relevant information found.

Repeated Dose Toxicity
For similar active ingredient(s). 2-methyl-4-chlorophenoxyacetic acid (MCPA). In animals, effects have been reported on the following organs: Blood. Kidney. Liver. Testes. For the solvent(s): In animals, effects have been reported on the following organs after exposure to aerosols: Central nervous system. Respiratory tract. Observations in animals include: Anesthetic or narcotic effects.

Chronic Toxicity and Carcinogenicity
In a lifetime animal dermal carcinogenicity study, an increased incidence of skin tumors was observed when kerosene was applied at doses that also produced skin irritation. This response was similar to that produced in skin by other types of chronic chemical/physical irritation. No increase in tumors was observed when non-irritating dilutions of kerosene were applied at equivalent doses, indicating that kerosene is unlikely to cause skin cancer in the absence of long-term continued skin irritation. For similar active ingredient(s). 2-methyl-4-chlorophenoxyacetic acid (MCPA). Did not cause cancer in laboratory animals.
Carcinogenicity Classifications:

Component	List	Classification
Kerosene (petroleum)	ACGIH	Confirmed animal carcinogen with unknown relevance to humans.; Group A3

Developmental Toxicity
For the active ingredient(s): Has caused birth defects in laboratory animals only at doses toxic to the mother. Has been toxic to the fetus in laboratory animals at doses toxic to the mother. For the solvent(s): Did not cause birth defects or any other fetal effects in laboratory animals.

Reproductive Toxicity
For the active ingredient(s): In animal studies, did not interfere with reproduction.

Genetic Toxicology
For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

12. Ecological Information

ENVIRONMENTAL FATE

Data for Component: **MCPA 2-EHE: 2-Methyl-4-Chlorophenoxyacetic Acid 2-Ethylhexyl Ester**

Movement & Partitioning

Expected to be relatively immobile in soil (Koc > 5000). Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).
Henry's Law Constant (H): 6.253E-05 atm*m3/mole; 25 °C Estimated.
Partition coefficient, n-octanol/water (log Pow): 6.17 Estimated.
Partition coefficient, soil organic carbon/water (Koc): 10,500 Estimated.
Bioconcentration Factor (BCF): 11,250

Persistence and Degradability

No relevant information found.
Stability in Water (1/2-life):
76 d; 25 °C; pH 7;Measured

Data for Component: **Kerosene (petroleum)**

Movement & Partitioning

Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5). Expected to be relatively immobile in soil (Koc > 5000).
Henry's Law Constant (H): 8.24E+00 atm*m3/mole; 25 °C Measured
Partition coefficient, n-octanol/water (log Pow): 6.1 Measured
Partition coefficient, soil organic carbon/water (Koc): 5,900 Estimated.
Bioconcentration Factor (BCF): 314; fish; Estimated.
61 - 159; fish

Persistence and Degradability

Biodegradation under aerobic static laboratory conditions is high (BOD20 or BOD28/ThOD > 40%).
Indirect Photodegradation with OH Radicals

Rate Constant	Atmospheric Half-life	Method
1.393E-11 cm3/s	0.767 d	Estimated.

Biological oxygen demand (BOD):

BOD 5	BOD 10	BOD 20	BOD 28
31 %	39.7 %	58.6 %	

Chemical Oxygen Demand: 1.16 mg/mg

ECOTOXICITY

Data for Component: **MCPA 2-EHE: 2-Methyl-4-Chlorophenoxyacetic Acid 2-Ethylhexyl Ester**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested). Material is practically non-toxic to birds on a dietary basis (LC50 > 5000 ppm). Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

Aquatic Invertebrate Acute Toxicity
EC50, water flea Daphnia magna, 48 h: 0.29 mg/l
Aquatic Plant Toxicity
EC50, duckweed Lemna sp., 14 d: 0.13 mg/l
Toxicity to Above Ground Organisms
oral LD50, bobwhite (Colinus virginianus): > 2,250 mg/kg: > 2250 mg/kg bodyweight.
dietary LC50, bobwhite (Colinus virginianus): > 5620 mg/kg diet.
dietary LC50, mallard (Anas platyrhynchos): > 5620 mg/kg diet.

Data for Component: **Kerosene (petroleum)**

Based largely or completely on component information. Material is slightly toxic to fish on an acute basis (LC50 between 10 and 100 mg/L).

Fish Acute & Prolonged Toxicity
LC50, fathead minnow (Pimephales promelas), static, 72 h: 42.7 mg/l

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information

TDG Small container
NOT REGULATED

TDG Large container
NOT REGULATED

IMDG
Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical Name: 2-Methyl-4-Chlorophenoxyacetic Acid 2-Ethylhexyl Ester
Hazard Class: 9 **ID Number:** UN3077 **Packing Group:** PG III
EMS Number: F-A,S-F
Marine pollutant.: Yes

ICAO/IATA
NOT REGULATED

15. Regulatory Information

CEPA - Domestic Substances List (DSL)
All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.

Hazardous Products Act Information: CPR Compliance
This product has been classified in accordance with the hazard criteria of the Canadian Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Hazardous Products Act Information: WHMIS Classification
This product is exempt under WHMIS.

Pest Control Products Act Registration number: 27245

National Fire Code of Canada
Not applicable

16. Other Information

Hazard Rating System

NFPA	Health	Fire	Reactivity
	1	1	0

Recommended Uses and Restrictions

Product use: End use herbicide product

Revision

Identification Number: 55745 / 1023 / Issue Date 2010.07.13 / Version: 1.4
DAS Code: GF-632
Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
VOL/VOL	Volume/Volume

Dow AgroSciences Canada Inc. urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.